

SCREENING TEST ORDERED	HCPCS/CPT CODES	COVERED ICD-10 CODES	WHO IS ELIGIBLE	FREQUENCY
Cardiovascular Disease	80061-lipid panel Must include cholesterol (82465), lipoprotein (83718) and triglycerides (84478)	Z13.6	*All beneficiaries	1 every 5 years
Colorectal Cancer	G0328 82270 <b>ST IOB 1MS or 70765326</b>	Z12.11 and Z12.12	*Ages 50-85 *Asymptomatic *At risk for developing colorectal cancer	Annually
Diabetes	82947-Glucose-quant 82950-Glucose-post dose 82951 Glucose-GTT	Z13.1	*At risk for diabetes *Diagnosed with pre-diabetes	*2 times per year for pre-diabetic *Annually if not pre-diabetic
Hepatitis C Virus (HCV)	G0472 <b>HCV MS or 70999999</b>	Z72.89 or F19.20 Z11.59 for those in the 1945-1965 age range	*High risk for HCV infection *Born between 1945-1965	*Annually for high risk *1 lifetime for those born between 1945-1965
HIV	G0433 <b>HIV MS or 69991446</b>	No risk factors – Z11.4 Risk factors – add Z72.89, Z72.51, Z72.52 or Z72.53 Pregnancy-Z11.4 plus Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O09.90, O09.91, O09.92, or O09.93	*Increased risk for HIV *Pregnant women	*Annually for those between ages of 15-65 w/out regard to risk *Annually for patients younger than 15 or older than 65 with increased risk. *3 times per pregnancy -at diagnosis -third trimester -at labor
Prostate Cancer	G0103 <b>PSA MS or 70999206</b>	Z12.5	Males over 50	Annually

<p>Sexually Transmitted Infections</p>	<p>86631, 86632, 87110, 87270, 87320, 87490, 87491, 87810 – Chlamydia</p> <p>87590, 87591, 87850 - Neisseria gonorrhoeae</p> <p>87800 - Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique</p> <p>86592 - Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART)</p> <p>86593 - Syphilis test, non-treponemal, quantitative</p> <p>86780 - Treponema pallidum</p>	<p>Z11.3, Z72.89, Z72.51, Z72.52, Z72.53, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O09.90, O09.91, O09.92, and O09.93</p>	<p>When all is true: *sexually active with increased risk *referred and provided by Medicare eligible PCP</p>	<p>Annually for chlamydia, gonorrhea, and syphilis in women at increased risk and not pregnant</p> <p>Annually for syphilis in men at increased risk</p> <p>Twice per pregnancy for chlamydia and gonorrhea for women with increased risk and continued risk to 2<sup>nd</sup> trimester</p> <p>Once per pregnancy for syphilis in pregnant women; up to two additional occurrences in the third trimester and at delivery if at continued increased risk for STIs</p>
<p>Hepatitis B</p>	<p><b>G0499 HBV MS or 70900031</b></p> <p>86704 - Hep B core antibody 86706 - Hep B surface antibody 87340 - Hep B surface antigen 87341 - Hep B surface antigen neutralization</p> <p><b>no screen CPT needed for these patients</b></p>	<p>Must have <b>both</b> Z11.59 <b>AND</b> Z72.89</p> <p><u>No risk:</u> Z11.59 <b>and</b> Z34.00 <b>or</b> Z34.80 <b>or</b> Z34.90 <b>or</b> O09.90</p> <p><u>At risk:</u> Z11.59 <b>and</b> Z72.89 <b>and one of</b> <b>the following:</b> Z34.00-Z34.03 Z34.80-Z34.83 Z34.90-Z34.93 O09.90-O09.93</p>	<p>High risk, asymptomatic non-pregnant adolescents and adults</p> <p>Pregnant beneficiaries</p>	<p>Annually as long as the risk continues.</p>

